


EC TYPE-EXAMINATION CERTIFICATE: 0726

Product description: - Personal Eye Protection – Spectacles and Goggles


Product identification: - See schedule

Manufacturer: -

J S P Limited
Worsham Mill
Minster Lovell
Oxford OX29 0TA
England



When assessed and examined against harmonised standard EN166:2001 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Signed: 
Helen Taft, Certification Manager


Date: 8th May 2018

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 28th March 2023, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 22nd April 2009

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | | |
|------|--------------------------|---|---|--|
| i) | Test Reports | - | } | Ref: TF/449, TF/682, TF/1055,
TF/2429 and TF/0726 |
| ii) | Technical File | - | | |
| iii) | Test and Inspection Plan | - | | |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 2 of 2	Withdrawn		
Page 1 of 2 (Amendment ONE)	Withdrawn		
Page 2 of 2 (Amendment ONE)	Withdrawn		
Page 1 of 2 (Amendment TWO)	Withdrawn		
Page 2 of 2 (Amendment TWO)	Withdrawn		
Schedules ONE - SIX	Withdrawn		
Schedule SEVEN	Withdrawn	16/9/04	To add additional model references:- Jaguar, Mirage, Galaxy (Nimrod), Sapphire and Stealth (3100)
Schedule EIGHT	Withdrawn	24/5/05	To add model CYBER
Page 1 of 2 (Amendment THREE)	Withdrawn	16/9/04	To add standard no. EN166:2001
Page 2 of 2 (Amendment THREE)	Withdrawn	16/9/04	To add TF/1055 reference
Schedule NINE	Withdrawn	1/8/06	To add models Amazon, Orion and Caspian Goggle, plus alternative names and additional lenses
Pages 1 - 4	Withdrawn	100312	Reformat of certificate and additional of Stealth (1000), Stealth (7000), Panorama (PA400), Panorama (PA500), Amazon, Ladies Stealth 7000
Pages 1 - 5	Withdrawn	101013	Changed product description to Personal Eye Protection – Spectacles and Goggles Addition of models (1) Filterspec Pro Goggle also known as CORAL and (2) Stealth 9000
Pages 1 – 5	Withdrawn	101118	Addition of 3 and 4 to certificate plus amendment to K and N reference, editorial change only.
Pages 1 – 5	Withdrawn	110120	Addition of Stealth goggle
Pages 1 – 5	Withdrawn	130128	Reformatting of certificate to show spectacle, lens, coating combination. Terms of business and 5 year validity added
Pages 1 -5	Withdrawn	130205	To add model Junior Indirect Vent Goggle
Pages 1 -5	Withdrawn	130902	Add models EVO IDV Goggle, EVO ThermaEx Goggle, Filter Goggle, G-Panoweld Goggle, Stealth 9200 Faceshield Goggle, Stealth Hybrid Safety Spectacle/Goggle.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Pages 1 -7	Withdrawn	140527	Add Stealth 16g and Stealth 9000 series.
Pages 1 -7	Withdrawn	150616	Add Lucerne Lucerne Plus Clear frame and Hardcoated (HC) lens, EVO DOUBLE Goggle and EVO GAS Goggle Add smoke lens to EVO ThermEx™ Goggle. Apply FT to Stealth 16g series, Stealth 9000 series (Except Stealth 9000 Blue frame and Hardcoated (HC) lens) and Stealth Hybrid Safety Spectacles.
Pages 1 -7	Withdrawn	160120	Add model Stealth 16g Amber frame and Hardcoated (HC) lens
Pages 1 -8	Withdrawn	171017	Add models Stealth Coverlite™ Overspec Grey temple and Hardcoated (HC) lens, Stealth Coverlite™ Overspec Black temple and Hardcoated (HC) lens, Stealth Coverlite™ Overspec Grey temple and Premiershield (KN) lens, Stealth Pilot™ Clear temple and Hardcoated (HC) lens, Stealth Pilot™ Grey temple and Hardcoated (HC) lens, Stealth Pilot™ Carbon temple and Hardcoated (HC) lens, Stealth Pilot™ Tortoise temple and Hardcoated (HC) lens, Stealth Pilot™ Wood temple and Hardcoated (HC) lens and Stealth Pilot™ Red camouflage temple and Hardcoated (HC) lens.
Pages 1 -8	Valid	180508	Additional 5 years validity period following 5-year review.

CERTIFICATION SCHEDULE

Spectacles					
Model	Lens Material	Optical Class	Lens Marking	Properties	Coating
Stealth 7000 Clear Frame and Hardcoated Antimist (AF) lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	FT	N
Stealth 7000 Clear Frame and Hardcoated (HC) Lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	FT	K
Stealth 7000 Smoke Frame and Hardcoated (HC) Lens UV400	PC	1	SMOKE 5-2.5 (EN172)	FT	K
Stealth 7000 Yellow Frame and Hardcoated (HC) Lens	PC	1	AMBER 2-1.2 (EN170)	FT	K
Stealth 7000 Smoke Frame Hardcoated (HC) Red Mirror Lens	PC	1	UNITARY RED MIRROR 5-3.1 (EN172)	FT	--
Stealth 7000 Clear-UV400 Frame and Hardcoated (HC) Light Gold Mirror Lens UV400	PC	1	LIGHT GOLD MIRROR 5-1.7 (EN172)	FT	--
Stealth 7000 Blue Frame and Hardcoated (HC) Lens	PC	1	BLUE LENS 2-1.4/2C-1.4 (EN170)	FT	K
Stealth 7000 Green Frame and Hardcoated (HC) Lens	PC	1	GREEN 3-3 (EN170)	FT	K
Stealth 7000 Orange Frame and Hardcoated (HC) Lens	PC	1	ORANGE 2-1.7 (EN170)	FT	K
Alpine also known as Mega GP Overspectacle Lucerne Plus	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	F	K
Panorama PA800 Graphite Frame Clear Hardcoated (HC) Lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	F	K
Panorama PA800 Graphite Frame Gold Mirror Hardcoated (HC) Lens UV400	PC	1	LIGHT GOLD MIRROR 5-1.7 (EN172)	F	--
Panorama PA800 Translucent Yellow Frame Light Gold Mirror Hardcoated (HC) Lens UV400	PC	1	LIGHT GOLD MIRROR 5-1.7 (EN172)	F	--
Panorama PA800 Grey Frame Smoke Lens Hardcoated (HC) UV400	PC	1	SMOKE 5-2.5 (EN172)	F	K
Cyber Blue Frame Hardcoated (HC) Clear Anti-Mist Lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	F	N
Cyber Blue Frame Silver Hardcoated (HC) Lens	PC	1	SILVER MIRROR 5-2.5 (EN172)	F	--
Amazon Black Frame Hardcoated (HC) Clear Lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	FT	K
Amazon Black Frame HC Smoke Lens	PC	1	SMOKE 5-2.5 (EN172)	FT	K
Orion Smoke Frame Hardcoated (HC) Clear Lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	F	K
Orion Smoke Frame and Hardcoated (HC) Lens UV400	PC	1	SMOKE 5-2.5 (EN172)	F	K
Stealth 9000 Blue Frame and Clear Hardcoated Antimist (AF) lens	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	FT	N
Stealth 9000 Blue Frame and Yellow Hardcoated Antimist (AF) lens	PC	1	AMBER 2-1.2 (EN170)	FT	N
Stealth 9000 Blue Frame Hardcoated (HC) Blue Mirror lens	PC	1	BLUE MIRROR 5-2.5 (EN172)	FT	--
Stealth 9000 Blue Frame and Hardcoated (HC) Light Gold Mirror lens UV400	PC	1	LIGHT GOLD MIRROR 5-1.7 (EN172)	FT	--
Stealth HYBRID Safety Spectacles	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	FT	K N

Key:

F- Low energy impact, **FT-** Low energy impact at extremes of temperature, **N** - Anti fog lens, **K-** Scratch resistant

CERTIFICATION SCHEDULE

Spectacles					
Model	Lens Material	Optical Class	Lens Marking	Properties	Coating
Stealth 16g Clear frame and Hardcoated (HC) lens	PC	1	Clear 2-1.2/2C-1.2 (EN170)	FT	K
Stealth 16g Smoke frame and Hardcoated (HC) lens	PC	1	Smoke 5-2.5 (EN172)	FT	K
Stealth 16g Clear frame and Premiershield (KN) lens	PC	1	Clear 2-1.2/2C-1.2 (EN170)	FT	KN
Stealth 9000 Blue frame and Premiershield (KN) lens	PC	1	Clear 2-1.2/2C-1.2 (EN170)	FT	KN
Stealth 9000 Blue frame and Premiershield (KN) lens	PC	1	Smoke 5-2.5 (EN172)	FT	KN
Stealth 9000 Blue frame and Premiershield (KN) lens	PC	1	Amber 2-1.2 (EN170)	FT	KN
Stealth 9000 Blue frame and Hardcoated (HC) lens	PC	1	Welding 5 (EN169)	F	K
Stealth 9000 Blue frame and Hardcoated (HC) lens (Additional lens option for Stealth 9000)	PC	1	Smoke polarizing lens 5-3.1 (EN172)	FT	K
Lucerne Plus Clear frame and Hardcoated (HC) lens	PC	1	Clear 2-1.2/2C-1.2 (EN170)	F	K
Stealth 16g Amber frame and Hardcoated (HC) lens	PC	1	Amber 2-1.2 (EN170)	FT	K
Stealth Coverlite™ Overspec Grey temple and Hardcoated (HC) lens	PC	1	Clear 2C-1.2 (EN170)	FT	K
Stealth Coverlite™ Overspec Black temple and Hardcoated (HC) lens	PC	1	Smoke 5-2.5 (EN172)	FT	K
Stealth Coverlite™ Overspec Grey temple and Premiershield (KN) lens	PC	1	Clear 2C-1.2 (EN170)	FT	KN
Stealth Pilot™ Clear temple and Hardcoated (HC) lens	PC	1	Clear 2C-1.2 (EN170)	FT	K
Stealth Pilot™ Grey temple and Hardcoated (HC) lens	PC	1	Smoke 5-2.5 (EN172)	FT	K
Stealth Pilot™ Carbon temple and Hardcoated (HC) lens	PC	1	Smoke 5-2.5 (EN172)	FT	K

Key:

F- Low energy impact, FT- Low energy impact at extremes of temperature, N - Anti fog, K- Scratch resistant

CERTIFICATION SCHEDULE

Spectacles					
Model	Lens Material	Optical Class	Lens Marking	Properties	Coating
Stealth Pilot™ Tortoise temple and Hardcoated (HC) lens	PC	1	Brown 5-2.5 (EN172)	FT	K
Stealth Pilot™ Wood temple and Hardcoated (HC) lens	PC	1	Light Gold mirror 5-1.7 (EN172)	FT	--
Stealth Pilot™ Red camouflage temple and Hardcoated (HC) lens	PC	1	Light Gold mirror 5-1.7 (EN172)	FT	--

Key:

F- Low energy impact, **FT-** Low energy impact at extremes of temperature, **N-** Anti fog, **K-** Scratch resistant

CERTIFICATION SCHEDULE

Goggles					
Model	Lens Material	Optical Class	Lens Marking	Properties	Coating
Oxford Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	B 3 4	N
Caspian Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	N
Filter Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	N
			Welding 5 lens 5 (EN169)	B 3 4 9	--
Filterspec Pro Goggle also known as CORAL	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4	N
Stealth 9100 Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4	N
Junior Indirect Vent Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	B H 3 4	--
EVO IDV Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	N
EVO ThermEx™ Goggle	PC (outer lens) Acetate (inner lens)	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	K N
			SMOKE 5-2.5 (EN172)		
G-Panoweld Goggle	PC	1	Welding 5 lens 5 (EN169)	B 3 4 9	N
Stealth 9200 faceshield Goggle ⁽¹⁾	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	N
Stealth HYBRID Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	B	K N
EVO Double Goggle	PC (outer lens) Acetate (inner lens)	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 9	K N
EVO GAS Goggle	PC	1	CLEAR 2-1.2/2C-1.2 (EN170)	BT 3 4 5 9	N

Note:

(1) - The chin guard attachment provides the same level of impact protection to the area that it covers as that given by the lens but provides no other additional protection.

Key: -

F -Low energy impact

B -Medium energy impact

FT -Low energy impact at extremes of temperature

BT- Medium energy impact at extremes of temperature

3 -Liquid droplets, **5** Gases and fine dust particles,**4**- Large dust particles, **9** Molten metals and hot solids

N - Anti fog lens, **K**- Scratch resistant, **H** -Suitable for small head