





This is to certify that: JSP Limited

Worsham Mill Minster Lovell Witney, Oxford **OX29 0TA** United Kingdom

Holds Certificate Number: UKCA 745041

In respect of:

Helmets For Industrial Safety And Working At Height. Assessments To EN 12942:2012, EN 397:2012 + A1:2012 & EN 50365:2002. See Continuation Sheets For Details.

On the basis that BSI carried out the relevant Type Examination procedures under the requirements of The Product Safety and Metrology etc (Amendment etc)(EU Exit) Regulations 2020 (SI 2020/676) relating to Personal Protective Equipment Regulation (PPE) 2016/425 Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II.

For and on behalf of BSI, an Approved Body for the above Regulation (Approved Body Number 0086):

Frank Lee, Product Certification Technical and Compliance Director

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 1 of 8

...making excellence a habit.™

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. UKCA 745041

Product Details:

Product type: Helmets for mountaineers and construction industry workers

Model: EVO®5 DualSwitch™

Technical Specifications: Harmonized European Standard EN 12492:2012

Harmonized European Standard EN 50365:2002

Harmonized European Standard EN 397:2012+A1:2012

JSP Technical Specification TS 03:02-18

EN 12492 classification: No classification within the Standard.

EN 50365 classification: Class 0

EN 397 classifications and associated Product Marking:

Characteristic Marking symbol

Mandatory shock absorption and penetration Not applicable

Options

Lateral deformation LD Molten Metal MM

TS 03:02-18 classifications and associated Product Marking:

Characteristic Marking symbol

Shock absorption and penetration at very low temperature -40°C

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 2 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Product Assessments

The product assessments were based on the following:

BS EN 12492:2012, the English language version of EN 12492:2012, mountaineering equipment – helmets for mountaineers,

BS EN 50365:2002, the English language version of EN 50365:2002, electrically insulating helmets for use on low voltage installations (Clause 5.2 & 5.3),

BS EN 397:2012+A1:2012, the English language version of EN 397:2012+A1:2012, industrial safety helmets, JSP Technical Specification TS 03:02-18 details a very low temperature shock absorption and penetration performance option, the requirements are as detailed in EN 397:2012+A1:2012 but at the lower temperature of -40°C.

Basic description

Shell: ABS, vented shell with short or standard length peak.

Liner: EPP.

Cradle: 6 point webbing system.

Headband: LDPE with wheel ratchet size adjuster.

Chin strap: 4 Point webbing system with a two part integral chin strap, this incorporates an inline switchable

anchorage point which is set to the required standard (EN 397:2012 + A1:2012 or EN 12942:2012)

position before donning and use of the helmet.

Size range: 53 to 64 cm.

Note: The claims of EN 50365:2002 are only valid when the helmet is being used when the chin strap

switch is in the EN 397 position.

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 3 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Product Details:

Product type: Helmets for mountaineers and construction industry workers

Model: EVO® VISTAlens™ DualSwitch™

Technical Specifications: Harmonized European Standard EN 12492:2012

Harmonized European Standard EN 50365:2002

Harmonized European Standard EN 397:2012+A1:2012

Harmonised European Standard EN 166:2001 Harmonised European Standard EN 170:2002 JSP Technical Specification TS 03:02-18

EN 12492 classification: No classification within the Standard.

EN 50365 classification: Class 0

EN 397 classifications and associated Product Marking:

Characteristic Marking symbol
Mandatory shock absorption and penetration Not applicable

Options

Lateral deformation LD Molten Metal MM

TS 03:02-18 classifications and associated Product Marking:

Characteristic Marking symbol

Shock absorption and penetration at very low temperature -40°C

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 4 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Product Assessments

The product assessments were based on the following:

BS EN 12492:2012, the English language version of EN 12492:2012, mountaineering equipment – helmets for mountaineers,

BS EN 50365:2002, the English language version of EN 50365:2002, electrically insulating helmets for use on low voltage installations (Clause 5.2 & 5.3),

BS EN 397:2012+A1:2012, the English language version of EN 397:2012+A1:2012, industrial safety helmets,

BS EN 166:2002, the English language version of EN 166:2001, personal eye protection,

BS EN 170:2002, the English language version of EN 170:2002, Personal eye-protection. Ultraviolet filters. Transmittance requirements and recommended use,

JSP Technical Specification TS 03:02-18 details a very low temperature shock absorption and penetration performance option, the requirements are as detailed in EN 397:2012+A1:2012 but at the lower temperature of -40°C.

Basic description

Shell: ABS, vented shell.

Liner: EPP.

Cradle: 6 point webbing system.

Headband: HDPE strap with wheel ratchet size adjuster and LDPE webbing clips.

Chin strap: 4 Point webbing system with a two part integral chin strap, this incorporates an inline switchable

anchorage point which is set to the required standard (EN 397:2012 + A1:2012 or EN 12942:2012)

position before donning and use of the helmet.

Size range: 53 to 64 cm.

Note: The claims of EN 50365:2002 are only valid when the helmet is being used when the chin strap

switch is in the EN 397 position. The eyewear classifications/markings can be found on BSI CE

certificate CE 696577.

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 5 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Product Details:

Product type: Helmets for mountaineers and construction industry workers

Model: EVO® VISTAshield™ DualSwitch™

Technical Specifications: Harmonized European Standard EN 12492:2012

Harmonized European Standard EN 50365:2002

Harmonized European Standard EN 397:2012+A1:2012

Harmonised European Standard EN 166:2001 Harmonised European Standard EN 170:2002

JSP Technical Specification TS 03:02-18

EN 12492 classification: No classification within the Standard.

EN 50365 classification: Class 0

EN 397 classifications and associated Product Marking:

Characteristic Marking symbol
Mandatory shock absorption and penetration Not applicable

Options

Lateral deformation LD Molten Metal MM

TS 03:02-18 classifications and associated Product Marking:

Characteristic Marking symbol

Shock absorption and penetration at very low temperature -40°C

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 6 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Product Assessments

The product assessments were based on the following:

BS EN 12492:2012, the English language version of EN 12492:2012, mountaineering equipment – helmets for mountaineers,

BS EN 50365:2002, the English language version of EN 50365:2002, electrically insulating helmets for use on low voltage installations (Clause 5.2 & 5.3),

BS EN 397:2012+A1:2012, the English language version of EN 397:2012+A1:2012, industrial safety helmets,

BS EN 166:2002, the English language version of EN 166:2001, personal eye protection,

BS EN 170:2002, the English language version of EN 170:2002, Personal eye-protection. Ultraviolet filters. Transmittance requirements and recommended use,

JSP Technical Specification TS 03:02-18 details a very low temperature shock absorption and penetration performance option, the requirements are as detailed in EN 397:2012+A1:2012 but at the lower temperature of -40°C.

Basic description

Shell: ABS, vented shell.

Liner: EPP.

Cradle: 6 point webbing system.

Headband: HDPE strap with wheel ratchet size adjuster and LDPE webbing clips.

Chin strap: 4 Point webbing system with a two part integral chin strap, this incorporates an inline switchable

anchorage point which is set to the required standard (EN 397:2012 + A1:2012 or EN 12942:2012)

position before donning and use of the helmet.

Size range: 53 to 64 cm.

Note: The claims of EN 50365:2002 are only valid when the helmet is being used when the chin strap

switch is in the EN 397 position. The eyewear classifications/markings can be found on BSI UKCA

certificate UKCA 745075.

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 7 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745041

Certificate administration details:

Technical File Reference: AKS270-000-100, AMF270-005-F00

Certificate Amendment record:

Issue date Comments BSI Internal Project No.

November 2021 First Issue 0086:21:3391829

Certificate validity

The manufacturer is responsible for ensuring that the Approved Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure so to do could invalidate the Certificate in respect of production following the introduction of such changes.

Monitoring of Manufactured PPE

The validity is also dependent upon the maintenance of the BSI issued PPE regulation Module D Certificate UKCA 745081 for the Module D process, the UKCA Quality of Production by Monitoring.

First Issued: 2021-11-05 Effective Date: 2022-03-21 Latest Issue: 2022-03-21 Expiry Date: 2026-11-05

Page: 8 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.