





This is to certify that: JSP Limited

Worsham Mill Minster Lovell Witney, Oxford **OX29 0TA** United Kingdom

Holds Certificate Number: KM 716350

In respect of:

BS EN 166 Personal eye protection

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Shahm Barhom, Group Product Certification Director

First Issued: 2022-08-08 Effective Date: 2024-10-24 Latest Issue: 2024-10-24 Expiry Date: 2027-09-29

Page: 1 of 5



No. KM 716350

Personal Eye Protection BS EN 166:2002

Product Type: EVOGUARD™ Browguard/Helmet Mounted Faceshield

Models: EVOGUARD™ C1 Clear Visor

EVOGUARD™ C2 Clear Visor EVOGUARD™ C3 Clear Visor EVOGUARD™ C4 Clear Visor EVOGUARD™ C5 Clear Visor EVOGUARD™ M1 Mesh Visor EVOGUARD™ M2 Mesh Visor EVOGUARD™ M3 Mesh Visor

Technical Specification: BS EN 166:2002, EN 1731:2006 & GS-ET-29:2011/05

Polycarbonate Visors: Tested to BS EN 166:2002

Optical Class 1

C1: Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

Shade 2C-1.2

C2: Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9 Resistance to surface damage by fine particles – K

Resistance to fogging of oculars - N

Shade 2C-1.2

C4: Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9 Resistance to surface damage by fine particles – K

Resistance to fogging of oculars - N

Shade 2C-1.2

First Issued: 2022-08-08 Effective Date: 2024-10-24 Latest Issue: 2024-10-24 Expiry Date: 2027-09-29

Page: 2 of 5

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 716350

Personal Eye Protection BS EN 166:2002

C5: Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3
Protection against short electric arc – 8-1-0⁽¹⁾
Protection against molten metal and hot solids – 9
Resistance to surface damage by fine particles – K

Resistance to fogging of oculars - N

Copolyester Visor:

C3: Protection against high speed particles, medium energy impact at extremes of

temperature – BT

Shade 2C-1.2

Mesh Visors:Tested to EN 1731:2006M1:Minimal robustness – SM2:Minimal robustness – S

M3: Protection against high speed particles, low energy impact – F

Browguard: Tested to BS EN 166:2002

Protection against high speed particles, medium energy impact at extremes of

temperature – BT

Tested to EN 1731:2006

Protection against high speed particles, low energy impact – F

Note $^{(1)}$ – Tested in accordance with GS-ET-29:2011/05, the $^{`1'}$ is the fault class, meaning it provides adequate protection against short-circuit currents of 4 Ka \pm 5% and the $^{`0'}$ is the light transmittance class where it means a VLT \geq 75%

The EVOGuard range can be used on either a browguard or the EVO range of JSP helmets.

First Issued: 2022-08-08 Effective Date: 2024-10-24 Latest Issue: 2024-10-24 Expiry Date: 2027-09-29

Page: 3 of 5

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 716350

Personal Eye Protection BS EN 166:2002

Model: **EVO® VISTAlens™**

Description: Integrated eye protection on industrial safety helmet.

53 - 64cm. Size range:

Shell material: ABS.

Shell options: Vented or non-vented shell.

Straps/webbing: Low density polyethylene and polyester.

Headband adjustment system: Wheel Ratchet type.

EN 397:2012 + A1:2012 **Technical Specifications:** BS EN 166:2002

EN 50365:2002 EN 170:2002

EN 175:1995 TS 03:02-18

EN 397 options:

440 V a.c. (1)

MM

EN 50365 classification: Class 0 (1).

BS EN 166 classification: 1

> BT Κ Ν

EN 170 classification: 2C-1.2 (clear lens)

EN 172 Classification: 5-1.7 (indoor/outdoor lens)

TS 03:02-18 Classification: -40°C

(1) Vented shell variants do not have the EN 397 electrical insulation properties.

The VISTAlens range can be used on either a browguard or the EVO range of JSP helmets.

First Issued: 2022-08-08 Effective Date: 2024-10-24 Latest Issue: 2024-10-24 Expiry Date: 2027-09-29

Page: 4 of 5

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 716350

Personal Eye Protection BS EN 166:2002

Model: **EVO® VISTAshield™**

Description: Integrated eye and face protection on industrial safety helmet.

53 - 64cm. Size range:

Shell material: ABS.

Shell options: Vented or non-vented shell.

Straps/webbing: Low density polyethylene and polyester.

Headband adjustment system: Wheel Ratchet type.

BS EN 166:2002 EN 397:2012 + A1:2012 EN 170:2002 **Technical Specifications:** EN 50365:2002 TS 03:02-18

LD

EN 397 options: 440 V a.c. (1)

MM

EN 50365 classification: Class 0 (1).

> 1 ΑT

BS EN 166 classification:

K

EN 170 classification: 2C-1.2 (clear lens)

TS 03:02-18 Classification: -40°C

(1) Vented shell variants do not have the EN 397 electrical insulation properties.

The VISTAshield range can be used on either a browquard or the EVO range of JSP helmets.

First Issued: 2022-08-08 Effective Date: 2024-10-24 Latest Issue: 2024-10-24 Expiry Date: 2027-09-29

Page: 5 of 5

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.