

A completely new direction







The road ahead is clear...



Skipper really is the total safety management solution. With an ever expanding range of integrated solutions, our aim is to be recognised as the industry leader in safety management. Its range of applications make it perfect for so many sectors, including traffic management, construction and facilities management.

Our innovative approach to customers' problems allows us to continually develop the range, while bringing to market award winning concepts and designs.

It's clear to see why globally, Skipper is light years ahead.









0 to 9 metres in 2.6 seconds



The wall and magnetic support brackets hold the Skipper unit in place without the need for a cone or post. They can be used to connect to either magnetic surfaces such as metal shelving or vehicles (magnetic version), or screw into position for a more permanent fixture (wall version).

Skipper wal	ll & magnetic	support brad	ckets
Height	Width	Depth	Weight
168mm	124mm	124mm	170g/360g

Skipper is the unique way to cordon off any area, creating safer environments with high visibility retractable 9m tape.
Skipper simply clicks on top of most traffic cones or its own unique
Post & Base System. Skipper saves you time, storage space and money, paying for itself in months over throw away barrier tape.

Skipper vei	pper versatile safety barrier		
Height	Width	Depth	Weight
240mm	145mm	145mm	800g




Flash cordon

This environmentally friendly road light is a multifunctional LED warning light that is fully rechargeable. With permanent or flashing facility, it also includes a light sensor for automatic activation which can be deactivated.

Conforms to BS3143 part 2 1990.








A traffic cone with a twist





Its innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable, like the whole Skipper range. This makes it perfect for all applications, from traffic to industrial and commercial.

Skipper road cone			
Height	Width	Depth	Weight
750mm	562mm	562mm	4.5kg






Skipper. The first and last past the post





Direct and to the point



Skipper wall & magnetic receiver clips			
Height	Width	Depth	Weight
100mm	80mm	19mm	40g/50g



This A4 sign holder is designed for use with the Skipper unit. Its functional design makes it a great complement to the Skipper product range. It allows you to easily display warnings, promotional messages and directions. Simply insert your A4 message into the polycarbonate sleeve, and slide into the robust u-shaped frame.

Skipper A4 sign holder			
Height	Width	Depth	Weight
325mm	213mm	28mm	400g



Keeping your home environment friendly





This clamp holder/receiver is used to attach the Skipper XS unit and/or tape end to angular surfaces such as door frames, work surfaces and racking.

Simply position the clamp in place and turn the screw to tighten. The clamp holder/receiver can be positioned either horizontally or vertically depending on the desired application.

Skipper clamp holder/receiver			
Height	Width	Depth	Weight
223mm	140mm	109mm	232g



The suction pad holder/receiver is designed for use with the Skipper XS unit (although it can be used as a standard tape receiver). It can connect to high gloss surfaces and glass. The suction pad can then either hold the Skipper XS unit in place or be used to receive the tape end clip.

Skipper suction pad holder/receiver			
Height	Width	Depth	Weight
117mm	78mm	45mm	75g

■ The Skipper XS unit has all the great versatility of the standard Skipper unit, but is for use without cones or posts. It has the same 9 metres of retractable tape, as well as new connector points for affixing to its own unique range of accessories.

Skipper vei	rsatile barrier	tile barrier XS		
Height	Width	Depth	Weight	
126mm	145mm	145mm	695g	



The cord & magnetic receiver is the new receiver clip designed for use with the Skipper XS (although it can be used as a standard tape receiver). As well as being able to attach to magnetic surfaces, it can also be tied to pillars using the provided 'tourniquet' cord. Once in place the receiver can then either hold the Skipper XS unit in place or be used to receive the tape end clip.

Skipper cord and magnetic holder/receiver			
Height	Width	Depth	Weight
105mm	129mm	19mm	80g

