

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier.

Product form: Mixture  
Product name: ACF Fluorine Foam Extinguishers– See Page 16 for applicable products.  
Type of product: Extinguishing agents  
Product group: Fire extinguisher

### 1.2 Relevant identified uses of substance or mixture and uses advised against.

#### 1.2.1 Relevant identified uses.

Main use category: Industrial, professional, and residential.  
Use of substance/ mixture: Extinguishing agents.  
Function or use category: Fire extinguisher.

#### 1.2.2 Uses advised against.

No additional information available.

### 1.3 Details of the supplier of the safety data sheet.

Supplier: CheckFire Ltd.  
Address: Sir Alfred Owen Way  
Caerphilly, CF83 1NL, South Wales  
Company telephone: +44(0)2920 868 333 8am–4:45pm EST Monday-Friday  
Website/ Email: [www.checkfire.co.uk](http://www.checkfire.co.uk) [sales@checkfire.co.uk](mailto:sales@checkfire.co.uk)  
Dept Responsible for information: Compliance

### 1.4 Emergency telephone number:

Emergency telephone number: +44 (0) 2920 868 333 8am – 4:45pm UK  
Mon- Friday

## SECTION 2 : HAZARDS IDENTIFICATION:

### 2.1 Classification of substance or mixture Classification according to Regulation (EC) No. 1272/2008 (CLP)

#### Adverse physicochemical, human health and environmental effects.

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practices.

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS-018 V1.0 – February 2025

## 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 (CLP)

#### EUH-statements

Hazard Pictogram, Singal words:



Pictogram Code:

H280

Signal Word:

Warning – Contains gas under pressure



Pictogram Code:

GHS05

Signal Word:

Danger – Contains sulfuric acid, mono-C12-Alkyl esters compounds with Triethanolamine; Sodium Octyl Sulphate.

EUH208 - Contains 1,2-Benzisothiazol-3(2H)-one(2634-33-5). May produce an allergic reaction.

Hazard Statements	
Physical Hazards	Warning – Contains gas under pressure
Health Hazards	H318 – Causes serious eye damage
Environmental Hazards	Does not meet the criteria of classification as dangerous for the environment.
Combinations	None

## 2.3 Other hazards

The product does not contain any PBT, vPvB, SVHC or endocrine disruptors in percentage greater than 0.1% in accordance with REACHAnnex XIII.

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII - 2-(2-butoxyethoxy)ethanol (112-34-5), ethylene glycol (107-21-1)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1%

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS-018 V1.0 – February 2025

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS:

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Name	Product Identifier	%	Classification according to Regulation (EC) No 1272/2008 (CLP)
Water	CAS No. 7732-18-5 EC No. 231-791-2	>93%	-
2-(2-butoxyethoxy) ethanol	CAS No: 112-34-5 EN No: 203-961-6	<1%	Eye Irrit 2, H319
Sodium Octyl Sulfate	CAS No: 142-31-4 EN No: 205-535-5	<1%	Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethylene Glycol	CAS No: 107-21-1 EN No: 203-473-3	<1%	Acute Tox. 4 (Oral), H203
Sulfuric acid, mono-C12-14-alkyl esters, compounds. with triethanolamine	CAS No: 90583-18-9 EN No:292-216-9	<1%	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Decyl Sulfate	CAS No: 142-87-0 EN No:205-568-5	<1%	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
1,2-Benzisothiazol-3(2H)-one	CAS No: 2634-33-5 EN No:220-120-9	<1%	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
Sodium hydroxide	CAS-No.: 1310-73-2 EN No.: 215-185-5	<1%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

This product does not contain substances classified as hazardous according to the

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

European parliament and council regulation (EC) no 1272/2008 of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing directive 67/548/EEC and 1999/45/EC, amending regulation (EC) no 1907/2006 in the concentration ranges specified.

Section 16 stated the importance of H-phrases and symbols.

## SECTION 4: FIRST AID MEASURES:

### 4.1 Description of first aid measures

First aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing.
First aid measures after skin exposure:	Wash skin with plenty of water.
First aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Not applicable
First aid measures after Ingestion:	Call a poison center or a doctor if you feel unwell.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Non-Flammable

### 5.2 Special hazards arising from the substance or mixture.

The product is not flammable

### 5.3 Advice for fire fighters

Precautionary measures fire:	Exercise caution when fighting any chemical fire.
Firefighting instructions:	Not applicable.
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment, and emergency procedures

General measures: Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.1.1 For non-emergency personnel

Protective equipment: Not applicable.

Emergency Procedures: Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2 For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2 Environmental precautions

Avoid release to the environment.

### 6.3 Methods and materials for containment and cleaning up.

Method for cleaning up: Take up liquid into absorbent material. This material and its container must be disposed of in a safe way as per local legislation.

Other information: Dispose of materials or solids residues at an authorized site.

### 6.4 Reference to other sections

For further information refer to section 13

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the workstation. Wear personal protective equipment.

Hygiene measures: Do not eat, drink, or smoke when using this product. Always wash hands after handling the product.

MSDS-018 V1.0 – February 2025

## 7.2 Conditions for safe storage, including any incompatibilities.

Technical measures:	Comply with applicable regulations
Storage conditions:	Store in a well-ventilated place. Keep cool.
Storage Temperature	0 – 50°C
Heat and ignition sources:	Avoid high temperatures.
Storage area:	Keep container in a well-ventilated place. Keep away from heat and direct sunlight.
Special rules on packaging:	Store in accordance with local, regional, national, or international regulations. Keep only in original container.

### Specific end uses (s):

No additional information available

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol (112-34-5)

WEL TWA (OEL TWA): 67.mg/m<sup>3</sup>, 10ppm

WEL STEL (OEL STEL): 101.2mg/m<sup>3</sup>, 15ppm.

ethylene glycol (107-21-1)

WEL TWA (OEL TWA): 10mg/m<sup>3</sup>, 52mg/m<sup>3</sup>, 20ppm.

WEL STEL (OEL STEL): 104mg/m<sup>3</sup>, 40ppm.

#### 8.1.2 Recommended monitoring procedures

No additional information available

#### 8.1.3 Air contaminants formed.

No additional information available

#### 8.1.4 DNEL and PNEC

No additional information available

#### 8.1.5 Control banding

No additional information available

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS-018 V1.0 – February 2025

## 8.2 Exposure Controls

Mandatory general regulations on occupational health. Do not allow to exceed the normative concentrations of hazardous constituents in the workplace.

### 8.2.1 Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation at the workstation.

### 8.2.2 Personal protective equipment

Personal protective equipment: Gloves. Protective clothing. Protective goggles.

**Personal protective equipment symbol(s).**



#### 8.2.2.1 Eye and face protection

Eye protection:

Chemical goggles or safety glasses.

Physical state			
Type	Field of application	Characteristics	Standard
Safety goggles, safety glasses		With side shields	EN 166

#### 8.2.2.2 Skin protection

Skin and body protection:

Wear suitable protective clothing.

Hand protection:

Protective gloves.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves					EN ISO 374

Other skin protection:

Materials for protective clothing:

Wear personal protective equipment. Chemical resistant safety shoes. Keep suitable Chemically resistant clothing readily available for emergency use.

#### 8.2.2.3 Respiratory protection

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

## 8.2.2.4 Thermal hazards

No additional information available

## 8.2.3 Environmental exposure controls

Environmental Exposure Controls: Not applicable.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties – extinguishing agent

Physical state	Liquid
Colour	Colourless to slightly yellow
Odour	Characterisitic
Odour threshold	Not available
Melting point	Not applicable
Freezing point	0°C
Boiling Point	Not available
Flammability	Not applicable
Explosive limits	Not applicable
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash Point	Not applicable
Autoignition temperature	Not applicable
Decomposition temperature	Not applicable
pH	6 – 9
Kinematic viscosity	15 - 25
Dynamic viscosity	Not applicable
Solubility	Soluble in Water
Partition coefficient n-octane/water (log Kow)	Not applicable
Vapour pressure	Not available
Density	1.06 – 1.1
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

### 9.2 Other information

#### 9.2.1 Other safety characteristics.

Refractive Index:

1.39 – 1.43

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

The product is stable in normal conditions.

### 10.2 Chemical stability

The product is stable in normal conditions.

### 10.3 Possibility of hazardous reactions

Not available.

### 10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5 Incompatible materials

Not available.

### 10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No. 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion / irritation	Not classified
Serious eye damage / irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT- repeated exposure	Not classified
Aspiration hazard	Not classified

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS-018 V1.0 – February 2025



## 11.2 Information on other hazards

### 2-(2-butoxyethoxy)ethanol (112-34-5)

LD50 oral: 2410 – 5530 mg/kg bodyweight (Equivalent or similar to OECD 401, Mouse, Male, Experimental value, Oral, 14 day(s))

LD50 dermal rabbit: 2764 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal, 14 day(s))

### ethylene glycol (107-21-1)

LD50 oral rat: 7712 mg/kg bodyweight (according to BASF-internal standards, Rat, Male / female, Experimental value, Aqueous solution, Oral, 7 day(s))

LD50 dermal: > 3500 mg/kg bodyweight (Mouse, Male / female, Experimental value, Dermal)

LC50 Inhalation – Rat: > 2.5 mg/l (6 h, Rat, Male / female, Experimental value, Inhalation (aerosol))

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

### 2-(2-butoxyethoxy)ethanol (112-34-5)

LC50 - Fish [1]: 1300 mg/l (Equivalent or similar to OECD 203, 96 h, *Lepomis macrochirus*, Static system, Fresh water, Experimental value, Lethal)

EC50 - Crustacea [1]: > 100 mg/l (EU Method C.2, 48 h, *Daphnia magna*, Static system, Fresh water, Experimental value, Locomotor effect)

ErC50 algae: > 100 mg/l (OECD 201: *Alga*, Growth Inhibition Test, 96 h, *Desmodesmus subspicatus*, Static system, Fresh water, Experimental value, Nominal concentration)

### ethylene glycol (107-21-1)

LC50 - Fish [1]: > 72860 mg/l (EPA 600/4-90/027, 96 h, *Pimephales promelas*, Static system, Fresh water, Experimental value, Nominal concentration)

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

EC50 - Crustacea [1]

> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, Daphnia magna, Static system, Fresh water, Experimental value)

Sodium hydroxide (1310-73-2)

LC50 - Fish [1]:

35 – 139 mg/l Source : ECHA (European Chemicals Agency)

EC50 - Crustacea [1]:

30 – 1000 mg/l Daphnia toxicity. Source: ECHA (European Chemicals Agency)

## 12.2 Persistence and degradability

ethylene glycol (107-21-1)

Persistence and degradability Biodegradable in the soil, readily biodegradable in water.

Biochemical oxygen demand (BOD) 0.47 g O<sub>2</sub>/g

substance Chemical oxygen demand (COD) 1.24 g O<sub>2</sub>/g substance

ThOD 1.29 g O<sub>2</sub>/g substance

All other components are rapidly degradable.

## 12.3 Bio-accumulative potential

2-(2-butoxyethoxy)ethanol (112-34-5)

Partition coefficient n-octanol/water (Log Pow): 1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)

Bio accumulative potential: Low potential for bioaccumulation (Log Kow < 4).

ethylene glycol (107-21-1)

Partition coefficient n-octanol/water (Log Pow): -1.36 (Experimental value)

Bio accumulative potential: Not bio accumulative.

## 12.4 Mobility in soil

2-(2-butoxyethoxy)ethanol (112-34-5)

Surface tension:

27 mN/m (25 °C, 0.00212 mol/g)

Ecology – soil

Highly mobile in soil.

ethylene glycol (107-21-1)

Surface tension

48.4 mN/m (20 °C)

Ecology – soil

Highly mobile in soil.

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS-018 V1.0 – February 2025



## 12.5 Results of PBT and vPvB assessment

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII:

2-(2-butoxyethoxy)ethanol (112-34-5),  
ethylene glycol (107-21-1)

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII:

2-(2-butoxyethoxy)ethanol (112-34-5),  
ethylene glycol (107-21-1)

## 12.6 Endocrine disrupting properties

Not specified

## 12.7 Other adverse effects

Not specified

## SECTION 13: DISPOSABLE INFORMATION

### 13.1 Water treatment methods

Regional legislation (waste):

Disposal must be done according to official regulations.

Waste treatment methods:

Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA / ADN / RID /

### 14.1 UN number or ID number

UN-No. (ADR):

Not applicable

UN-No. (IMDG):

UN 1044

UN-No. (IATA):

Not applicable

UN-No. (ADN):

Not applicable

UN-No. (RID):

Not applicable

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

## 14.2 UN proper shipping names

Proper shipping names. (ADR):	Not applicable
Proper shipping names. (IMDG):	Fire extinguishers with compressed or liquefied gas.
Proper shipping names. (IATA):	Not applicable
Proper shipping names. (ADN):	Not applicable
Proper shipping names. (RID):	Not applicable

## 14.3 Transport hazard class(es)

ADR –Transport hazard class(es):	Not applicable
IMDG –Transport hazard class(es):	Not applicable
IATA–Transport hazard class(es):	Not applicable
ADN –Transport hazard class(es):	Not applicable
RID– Transport hazard class(es):	Not applicable

## 14.4 Packing group

Packing group ADR:	Not applicable
Packing group IMDG:	Not applicable
Packing group IATA:	Not applicable
Packing group ADN:	Not applicable
Packing group RID:	Not applicable

## 14.5 Environmental hazards

Dangerous for the environment:	No
Marine pollutant:	No
Other information:	No supplementary information available

## 14.6 Special precautions for user

Overland transport:	Not applicable
---------------------	----------------

## 14.7 Maritime transport in bulk container to IMO instruments

Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, Health, and Environmental Regulations / Legislation Specific for the Substance or Mixture

#### 15.1.1 EU Regulations

**REACHAnnex XVII (Restrictions List)** : Contains no substance(s) listed on REACHAnnex XVII (Restriction Conditions) **REACHAnnex XIV (Authorisations List)**: Contains no substance(s) listed on REACHAnnex XIV (Authorisations List)

**REACH Candidate List (SVHC)**: Contains no substance(s) listed on REACH Candidate List.

**PIC Regulation List (Prior Informed Consent):** Contains no substance(s) listed on PIC list (Regulation EU649/2012 concerning the export and import of hazardous chemicals).

**POC Regulation List (Persistent Organic Pollutants):** Contains no substance(s) listed on POPlist (Regulation EU2019/1021 concerning persistent organic pollutants).

**Ozone Regulation (1005/2009):** Contains no substance(s) listed on Ozone Depletion list (Regulation EU 1005/2009 concerning substances that deplete the ozone layer).

**Explosives Precursors Regulation (2019/1148):** Contains no substance(s) listed on Explosives Precursors list (EU Regulation 2019/1148 concerning marketing and use of explosive precursors).

## 15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16 : OTHER INFORMATION

### LEGEND / Abbreviations and acronyms)

ADN	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways	ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate.		
BLV	Biological limit value.		
CASNo.	Chemical Abstract Service Number.		
CLP	Classification Labelling Packaging Regulation : Regulation (EC) No. 1272/2008.		
CE50	Effective Concentration (required to induce a 50% effect).		
CE No	Identifier in ESIS (European Archive of Existing Substances).		
DMEL	Derived-Minimal Effect Level.		
DNEL	Derived No Effect Level.		
EC50	Median effective concentration.		
EC-No.	European Community number.		
EN	European standard.		
EmS	Emergency Schedule.		
GHS	Globally Harmonised System of Classification and Labelling of Chemicals.		
IATA	International Air Transport Association Dangerous Goods Regulations.		
IMDG	International Maritime Code for Dangerous Goods.		
IMO	International Maritime Organization.		
LC50	Median Lethal Concentration.		
LD50	Median Lethal Dose.		
LOAEL	Lowest Observed Adverse Effect Level.		
NOAEC	No Observed Adverse Effect Concentration.		
OEL	Occupational Exposure Limit.		
NOAEL	No Observed Adverse Effect Level.		

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

NOEC	No Observed Effect Concentration.
PBT	Persistent Bio Accumulative Toxic.
PNEC	Predicted No Effect Concentration.
REACH	Registration, Evaluation, Authorization and Restriction of Chemicals Regulations (EC Regulation 1907/2006)
RID	Regulation Concerning the International Transport of Dangerous Goods by Rail.
SDS	Safety Data Sheet.
TLV	Threshold Limit Value
TLV Ceiling	Concentration that should not be exceeded during any time of occupational exposure.
TWASTEL	Short term exposure limit.
TWA	Time weighted average exposure limit.
VOC	Volatile organic compounds.
vPvB	Very Persistent and Very Bio Accumulative.
WGK	Water Hazard Class.
STOT	Specific Target Organ Toxicity.

## Other Information

The information contained in the present sheet is based on our own knowledge and believed accurate and reliable. This information is based on current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Users must verify the suitability and thoroughness of the information provided according to each specific use of the product.

## Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains 1,2-Benzisothiazol-3(2H)-one (2634-33-5). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1

# SAFETY DATA SHEET

According to the REACH Regulations (EC) 1907/2006 amended by Regulation (EU) 2020/878



MSDS-018 V1.0 – February 2025

Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

**This MSDS is applicable to the following products:**

<b>Product Code</b>
FX-FFF-002-ACF
FX-FFF-003-ACF
FX-FFF-006-ACF
FX-FFF-009-ACF

**END OF MSDS**