

START  TRAFFIC

MONSTER™

MOTION SAFETY

3011 SERIES WHEEL CHOCK

PRODUCT INFORMATION BROCHURE





PICTURED: MC3011

Checkers' Monster Wheel Chocks comply with the safety requirements of a variety of industries and ensure a safe working environment while your vehicles are at rest. Offered in a variety of styles, our wheel chocks provide a safe chocking solution for any type of vehicle.

Monster Wheel Chocks were engineered in collaboration with safety experts to work with a wide range of ground equipment, commercial, and military vehicles. Whether you are chocking a fully-loaded 400-ton haul truck or a utility trailer, we have the wheel chocks you need to safely secure your vehicle and meet compliance standards.

- **We are one of the largest manufacturers of wheel chocks in the world**
- **We manufacture the most popular wheel chocks in the highly-demanding mining industry**
- **Checkers wheel chocks are manufactured at company headquarters in Broomfield, Colorado**
- **Polyurethane wheel chocks are resistant to extreme weather conditions, tears, abrasions, oils, and solvents**
- **Polyurethane chocks are extremely lightweight compared to excessive steel and aluminum counterparts**
- **Long-lasting product life span results in cost savings**
- **Checkers produces a wheel chock for virtually every type of tire-based vehicle**
- **Our wheel chocks are engineered to reduce damage to your vehicle's tires**
- **High visibility safety colors used on most of our wheel chocks**
- **Checkers wheel chocks satisfy MSHA, OSHA, SAE, NFPA, and DOT compliance standards**
- **Recessed carrying handles included on most models**
- **Mounting brackets available for most models**

MONSTER HEAVY DUTY MC SERIES WHEEL CHOCKS are manufactured with highly durable, lightweight polyurethane construction. With a larger base than our UC or AT models, the MC3000 Series is ideal for use with heavy equipment such as haul trucks, loaders, and cranes.

Material: UV Stabilized Polyurethane

- Tough urethane construction
- Recessed carrying handle
- Mounting hole for ropes, chains or brackets
- Replaceable rubber anti-slip traction pads with aluminum mounting plates to resist delamination due to corrosion
- Molded-in ANSI Z535.4 compliant proper chocking guidelines with color illustrations
- This chock is rated for Tire Diameter 95" to 165" (241.3 cm to 419.1 cm) and gross vehicle operating weight up to 855,000 lbs. (387,821 kg) or for payloads up to 240 tons (217,724 kg)
- With the use of four MC3011s, this chock is rated for a gross vehicle operating weight up to 1,600,000 lbs. (725,748 kg) or for payloads up to 400 tons (362,874 kg)



MODEL: MC3011

APPLICATIONS


- Civil Engineering and Construction
- Mining
- Military Sites
- Infrastructure and Utilities Maintenance
- Transmission
- Heavy Industry

ACCESSORIES

Model	Length	Width	Height	Weight
MC3011	24.6 in. (62.5 cm)	14.5 in. (36.9 cm)	16 in. (40.7 cm)	32 lb. (14.5 kg)
CT1911	12 in. (30.5 cm)	24 in. (61.0 cm)	49 in. (124.5 cm)	33 lb. (15 kg)
MC1900	Universal Dual Mounting Bracket holds 2 each of MC Series Wheel Chocks. Primer Finish. Hardware not included.			16 lb. (7.3 kg)
MCPAD22.875X2.5	Replacement traction pad for MC3000 & MC2000			2 lb. (.9 kg)
MCSTUD-3/8X1.5	Optional stainless steel studs for snow and ice. Requires 10 per MC3000 and MC2000			.06 lb. (.027 kg) Each



Model: MC1900





Start Traffic Ltd

Unit 30 North Bank
Berry Hill Ind Est
WR9 9AU

PHONE: 01905 794 875

EMAIL: sales@starttraffic.uk

www.starttraffic.uk

START **TRAFFIC**

A PRODUCT OF:



For more information visit: www.checkers-safety.com

Checkers Safety Group is committed to providing revolutionary product designs and visionary safety solutions that protect people, assets, and the environment.

CHECKERS' FAMILY OF BRANDS:

