

## P5-TCG



Manufactured to EN13236



### DESCRIPTION:

The P5-TCG cup grinder has a turbo segment for a cleaner finish. The 100mm grinder can be used on either the Makita PC1100 concrete planer or standard 115mm angle grinders.

### FEATURES:

Turbo diamond rim for a cleaner finish.

### MACHINE SUITABILITY:

Angle grinders and Makita PC1100 concrete planer (100mm only).

### STANDARDS:

- EN13236: European Standard that regulates the safety requirements for super abrasive (diamond) products.
- The Organization for the Safety of Abrasives (oSa): Members of oSa have to comply with strict manufacturing, quality and safety procedures in accordance with EN13236.

### USER TIPS:

- For the best results, keep the disc flat to the surface of the material.
- Apply only enough pressure to maintain contact with the material. Excessive pressure will result in the disc cutting into the surface.

### PART NO. DIMENSIONS

DP16235	100 x 15 / 22.2mm (4")
DP16236	115 x 22.2mm (4 1/2")
DP16240	125 x 22.2mm (5")
DP16245	180 x 22.2mm (7")

### PACKAGING DETAILS:

Full colour corrugated cardboard box.



IDEALLY SUITED  UNSUITABLE  
 OCCASIONAL USE

### MATERIALS

ALUMINIUM	<input type="checkbox"/>
ASPHALT	<input type="checkbox"/>
ASPHALT OVER CONCRETE	<input type="checkbox"/>
BRICKS - CLASS A ENGINEERING	<input checked="" type="checkbox"/>
BRICKS - CLASS B ENGINEERING	<input checked="" type="checkbox"/>
BRICKS - STANDARD FACING BRICKS	<input checked="" type="checkbox"/>
CEMENT FIBRE BOARD	<input type="checkbox"/>
CAST IRON	<input type="checkbox"/>
CLAY PRODUCTS	<input checked="" type="checkbox"/>
COMPOSITE CLADDING & PANELS	<input type="checkbox"/>
CONCRETE - BEAMS, KERBS, PIPES & SLABS	<input checked="" type="checkbox"/>
CONCRETE - BLOCK PAVING	<input checked="" type="checkbox"/>
CONCRETE - FLAG STONES	<input checked="" type="checkbox"/>
CONCRETE - FLINT AGGREGATE	<input checked="" type="checkbox"/>
CONCRETE - GENERAL PURPOSE	<input checked="" type="checkbox"/>
CONCRETE - GREEN (up to 24 Hours Old)	<input type="checkbox"/>
CONCRETE - HEAVY STEEL REINFORCEMENT	<input checked="" type="checkbox"/>
CONCRETE - LIGHT STEEL REINFORCEMENT	<input checked="" type="checkbox"/>
CONCRETE - ROOF TILES	<input type="checkbox"/>
CONCRETE BLOCKS - LIGHTWEIGHT 3 TO 7 NEWTON	<input checked="" type="checkbox"/>
CONCRETE BLOCKS - MEDIUM DENSITY 7 TO 12 NEWTON	<input checked="" type="checkbox"/>
CONCRETE BLOCKS - SOLID DENSITY 12+ NEWTON	<input checked="" type="checkbox"/>
CEMENT SCREED	<input checked="" type="checkbox"/>
EARTHSTONE WORKTOPS	<input type="checkbox"/>
FIBREGLASS	<input type="checkbox"/>
GLASS REINFORCED PLASTIC (GRP)	<input type="checkbox"/>
GRANITE - BLOCKS & WORKTOPS	<input checked="" type="checkbox"/>
GRITSTONE	<input type="checkbox"/>
GROUNDWORK - HARD SOIL	<input type="checkbox"/>
LAMINATED PRODUCTS	<input type="checkbox"/>
LIMESTONE	<input checked="" type="checkbox"/>
MARBLE - BLOCKS & WORKTOP	<input checked="" type="checkbox"/>
MORTAR RAKING	<input type="checkbox"/>
PLASTIC (PVC, PE, PP, PC & COMPOSITES)	<input type="checkbox"/>
QUARTZ WORKTOPS	<input type="checkbox"/>
RUBBER	<input type="checkbox"/>
RAILWAY SLEEPERS	<input type="checkbox"/>
SANDSTONE - ABRASIVE	<input checked="" type="checkbox"/>
SANDSTONE - INDIAN	<input checked="" type="checkbox"/>
STEEL SECTION - PIPES & BARS	<input type="checkbox"/>
TILES - CERAMIC	<input type="checkbox"/>
TILES - GRANITE	<input type="checkbox"/>
TILES - LIMESTONE	<input type="checkbox"/>
TILES - MARBLE	<input type="checkbox"/>
TILES - PORCELAIN	<input type="checkbox"/>
TILES - 20mm EXTERIOR PORCELAIN	<input type="checkbox"/>
TILES - SLATE	<input type="checkbox"/>
TREE ROOTS	<input type="checkbox"/>
WOOD	<input type="checkbox"/>
YORK STONE	<input checked="" type="checkbox"/>