

P5-VBHS



Manufactured to EN13236



- HARD EXTERIOR PORCELAIN
- HARD INTERIOR PORCELAIN
- SOFT TILES CERAMIC
- UNIVERSAL STONE
- FIBRE CEMENT BOARD
- LAMINATES
- PLASTIC PPE
- WOOD
- BUILDING MATERIALS
- CAST IRON

DESCRIPTION:

The P5-VBHS features a rim of high quality diamonds that are vacuum brazed to the leading edge. The benefits this offers to the tradesman are faster drilling, increased durability and better suitability across a wider range of applications. They are ideal for all types of standard thickness wall and floor tiles, and can also be used to drill through deeper natural stone paving slabs, building materials, wood, plastics and composite materials, such as cement fibre board.

FEATURES:

- Fully exposed diamonds joined by a vacuum brazing process
- 10mm hexagonal fitting
- Pilot drill (supplied) to aid start up

MACHINE SUITABILITY:

Cordless and corded drills.

STANDARDS:

EN13236: European Standard that regulates the safety requirements for super abrasive (diamond) products.

USER TIPS:

- Use the pilot drill to aid start up
- Before drilling porcelain, pre-drill a 6mm pilot hole using a diamond tile drill
- Do not use unnecessary pressure, the weight of the machine is sufficient
- Using a slight oscillating motion whilst drilling can increase speed on some materials
- Use at speeds between 800 - 2000rpm
- For harder tiles use a slower rpm / for softer tiles use a faster rpm

PART NO. DIMENSIONS

PART NO.	DIMENSIONS
DP16389	19 x 45mm
DP16392	22 x 45mm
DP16393	25 x 45mm
DP16395	30 x 45mm
DP16396	32 x 45mm
DP16398	35 x 45mm
DP16401	38 x 45mm
DP16404	44 x 45mm
DP16407	52 x 45mm
DP16409	56 x 45mm
DP16410	58 x 45mm
DP16413	64 x 45mm
DP16416	72 x 45mm
DP16419	76 x 45mm
DP16422	83 x 45mm
DP16425	86 x 45mm
DP16426	92 x 45mm
DP16428	105 x 45mm
DP16434	120 x 45mm
DP16437	128 x 45mm
DP16447	TCT Pilot Drill

PACKAGING DETAILS:

Full colour corrugated cardboard box.



- IDEALLY SUITED
- UNSUITABLE
- OCCASIONAL USE

MATERIALS	
ALUMINIUM	
ASPHALT	
ASPHALT OVER CONCRETE	
BRICKS - CLASS A ENGINEERING	
BRICKS - CLASS B ENGINEERING	
BRICKS - STANDARD FACING BRICKS	
CEMENT FIBRE BOARD	
CAST IRON	
CLAY PRODUCTS	
COMPOSITE CLADDING & PANELS	
CONCRETE - BEAMS, KERBS, PIPES & SLABS	
CONCRETE - BLOCK PAVING	
CONCRETE - FLAG STONES	
CONCRETE - FLINT AGGREGATE	
CONCRETE - GENERAL PURPOSE	
CONCRETE - GREEN (up to 24 Hours Old)	
CONCRETE - HEAVY STEEL REINFORCEMENT	
CONCRETE - LIGHT STEEL REINFORCEMENT	
CONCRETE - ROOF TILES	
CONCRETE BLOCKS - LIGHTWEIGHT 3 TO 7 NEWTON	
CONCRETE BLOCKS - MEDIUM DENSITY 7 TO 12 NEWTON	
CONCRETE BLOCKS - SOLID DENSITY 12+ NEWTON	
CEMENT SCREED	
EARTHSTONE WORKTOPS	
FIBREGLASS	
GLASS REINFORCED PLASTIC (GRP)	
GRANITE - BLOCKS & WORKTOPS	
GRITSTONE	
GROUNDWORK - HARD SOIL	
LAMINATED PRODUCTS	
LIMESTONE	
MARBLE - BLOCKS & WORKTOP	
MORTAR RAKING	
PLASTIC (PVC, PE, PP, PC & COMPOSITES)	
QUARTZ WORKTOPS	
RUBBER	
RAILWAY SLEEPERS	
SANDSTONE - ABRASIVE	
SANDSTONE - INDIAN	
STEEL SECTION - PIPES & BARS	
TILES - CERAMIC	
TILES - GRANITE	
TILES - LIMESTONE	
TILES - MARBLE	
TILES - PORCELAIN	
TILES - 20mm EXTERIOR PORCELAIN	
TILES - SLATE	
TREE ROOTS	
WOOD	
YORK STONE	