

JCS BANDING

- ✓ Suitable for a vast range of applications
- ✓ Compact & quick to fit
- ✓ Available in Zinc Plated Mild Steel and 304 Stainless Steel



HIGH PERFORMANCE HOSE CLIPS

JCS BANDING

JCS Banding comes in zinc-plated mild steel or 304 stainless steel, and is supplied in 10m and 30m coils (other lengths available to special order).



ZINC PLATED STEEL

Our unique in-house zinc plating process provides thorough protection and a bright finish.



STAINLESS STEEL 304

All components, including the screws, are made from the same grade of stainless steel for unrivalled consistency and performance.



EASY TO USE

Compact quick to fit and with no loose parts. No specialist tools or training required for installation.

VERSATILE

JCS banding is ideal for a wide range of applications. Suitable for mounting on all shapes and sizes of supports.

RE-USABLE

Easily adjusted, repositioned and can be reused too.

Simple as 1-2-3



1

Measure out banding.



2

Cut banding strip.



3

Secure in place.

JCS BANDING

JCS BANDING - ZINC



JCS Part No	Product Description	Packaging Description	Pack Qty
NBZ10P	JCS Banding. Zinc Plated Mild Steel	Box (10m coil)	1
NBZ30P	JCS Banding. Zinc Plated Mild Steel	Box (30m coil)	1
NCZBG	JCS Banding connector 150mm Zinc Plated Mild Steel	Bag packed (10 per bag)	10

Customisable lengths are available upon request.

JCS BANDING - STAINLESS STEEL 304



JCS Part No	Product Description	Packaging Description	Pack Qty
NBS10P	JCS Banding. 304. Stainless Steel	Box (10m coil)	1
NBS30P	JCS Banding. 304. Stainless Steel	Box (30m coil)	1
NCSBG	JCS Banding connector 150mm 304 Stainless Steel	Bag packed (10 per bag)	10

Customisable lengths are available upon request.

JCS BANDING TECHNICAL & MATERIAL SPECIFICATION



RECOMMENDED SETTING TORQUE
5Nm

MATERIAL SPECIFICATIONS

ZINC PLATED

All parts - mild steel, bright zinc plated and passivated.

STAINLESS STEEL 304

All parts BS304 - EN 1.4301/1.4576


BANDING CONNECTORS

Length Box Qty

150mm 10

Working torque

Zinc plated	5Nm
Stainless steel	5Nm
Heavy duty	15Nm



BANDING

Length

10m
30m

