

 **Oxford**
Innovation For Safety

**UK MANUFACTURER OF
TEMPORARY SITE SAFETY
SOLUTIONS**

**TRENCH COVERS,
ROAD PLATES
AND RAMPS**

START  **TRAFFIC**

sales@starttraffic.uk | www.starttraffic.uk
01905 794 875

TRENCH COVER GUIDE

What is the size of your trench?

UP TO
700MM

UP TO
900MM

UP TO
1200MM

What kind of traffic will cross the trench?



Footway Board

3.5t



Driveway Board

44t



Road Plate



Footway Board

3.5t



Driveway Board

44t



Road Plate



Footway Board

3.5t



Driveway Board

44t



Road Plate

What's the solution?

LowPro
11/11

LowPro
15/10

LowPro
15/05
Road Plate

16/12
Safe
Cover

LowPro
15/10

LowPro
23/05
Road Plate

LowPro
15/10

LowPro
23/05
Road Plate

LowPro
12/8

LowPro
15/10

12/8
Safe
Cover

16/12
Safe
Cover

Non-slide

Should be pinned

 **HAUC (UK)**

HIGHWAY AUTHORITIES & UTILITIES COMMITTEE



COMPLIANT

LOWPRO™ 23/05 ROAD PLATE



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE


- Heavy-duty modular road plate for highways and pavements
- Suitable for 44T vehicles over a 1200mm trench
- Complies with HAUC's 2018/01 Advice Note
- 2 person lift
- Drop-pins prevent lateral movement
- Moulded anti-slip surface
- HiVis yellow encourages traffic calming
- Patented Flexi-edges reduce noise pollution
- Available with stillage
- Spare parts available
- Designed & manufactured in the UK



TECHNICAL SPECIFICATION


LOWPRO 23/05 MIDDLE

Product No 0839
Length 2300mm
Width 500mm
Height 85mm
Weight 65kg
Qty/pallet 16
Colour Yellow & blue



LOWPRO 23/05 END

Product No 0726
Length 2300mm
Width 700mm
Height 85kg
Weight 16kg
Qty/pallet 50
Colour Blue



LOWPRO™ 15/05 ROAD PLATE



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE

- Heavy-duty modular road plate for highways and pavements
- Suitable for 44T vehicles over a 700mm trench
- Complies with HAUC's 2018/01 Advice Note
- 2 person lift
- Drop-pins prevent lateral movement
- Moulded anti-slip surface
- HiVis yellow encourages traffic calming
- Patented Flexi-edges reduce noise pollution
- Available with stillage
- Spare parts available
- Designed & manufactured in the UK



SCAN FOR
INSTALLATION



TECHNICAL SPECIFICATION

LOWPRO 15/05 MIDDLE

Product No 0830

Length 1500mm


Width 500mm

Height 75mm

Weight 42kg

Qty/pallet 20

Colour Yellow & black



LOWPRO 15/05 END

Product No 0814

Length 1500mm


Width 500mm

Height 75mm

Weight 23kg

Qty/pallet 20

Colour Yellow



LOWPRO™ 15/10 DRIVEWAY BOARD



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE

- Award-winning, 2 person-lift Driveway Board
- Suitable for 3.5T vehicles over a 900mm trench & pedestrians over a 1200mm trench
- Designed with National Grid
- Complies with HAUC's 2018/01 Advice Note
- LowPro edges grip the asphalt – pinning not required in most applications
- Moulded anti-slip surface
- Fitted with gas vents & probe hole
- Shock resistant
- Use with LowPro Infill to remove trip-hazards
- Corporate branding available
- Designed & manufactured in the UK




SCAN FOR
INSTALLATION



TECHNICAL SPECIFICATION

LOWPRO 15/10 BOARD

Product No 0815
Length 1500mm
Width 1000mm
Height 35mm
Weight 42kg
Qty/pallet 20
Colour Yellow & black



LOWPRO 15/10 INFILL

Product No 0840
Length 1500mm
Width 130mm
Height 35mm
Weight 2.3kg
Colour Black




LOWPRO™ FOOTWAY BOARDS



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE





- 1 person-lift Footway Boards
- Suitable for 2T vehicles over a 700mm trench & pedestrians over a 900mm trench
- Comply with HAUC's 2018/01 Advice Note
- LowPro edges grip the asphalt – pinning not required in most applications
- Moulded anti-slip surface
- Shock resistant
- LowPro 12/8 available with Infill to remove trip-hazards
- Corporate branding available
- Designed & manufactured in the UK



TECHNICAL SPECIFICATION

LOWPRO	11/11	12/8	12/8 INFILL
Product No	0825	0362	0364
Length	1132mm	1200mm	1200mm
Width	1132mm	800mm	130mm
Height	18mm	28mm	35mm
Weight	24kg	17kg	1.5kg
Qty/pallet	30	30	-
Colour	Yellow & black	Yellow & black	Black



SAFE COVER FOOTWAY BOARDS



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE





- 16/12 Safe Cover is suitable for pedestrian traffic over a 900mm trench
- 12/8 Safe Cover is suitable for pedestrian traffic over a 700mm trench
- Comply with HAUC's 2018/01 Advice Note
- Anti-slip and anti-trip
- Suitable for the distributed weight of a 2 tonnes vehicle
- Corporate brand colour and logo customisation
- Chamfered edges to prevent trip hazard
- Boards should be bolted or secured to the ground
- Designed and manufactured in the UK



TECHNICAL SPECIFICATION

SAFE COVER	12/8	16/12
Product No	0307	0820
Length	1200mm	1600mm
Width	800mm	1200mm
Height	30mm	25mm
Weight	13kg	33kg
Qty/pallet	30	25
Colour	Yellow	Yellow



WHEELCHAIR RAMPS



HIGHWAY AUTHORITIES & UTILITIES COMMITTEE

- Comply with disability codes & HAUC 2018/01 Advice Note
- Use on 60mm to 160mm kerbs
- Anti-slip and HiVis surface
- Compact stacking for easy handling
- 100% recyclable
- Designed and manufactured in the UK

SUPAGRIP

- Comes with patented Flexi-Edges to reduce unwanted movement
- Stable without bolting
- Can be bolted for added stability and security
- Suitable for wheelchairs, pushchairs, mobility scooter, bicycles and foot traffic up to 350kg
- Part of the SafeKerb and LowPro® ranges

SAFEKERB

- Should be bolted to ground
- Suitable for wheelchairs, pushchairs, mobility scooter, bicycles and foot traffic up to 250kg

TECHNICAL SPECIFICATION


RAMP	SUPAGRIP	SAFEKERB
Product No	0836	0804
Length	1282mm	1265mm
Width	760mm	747mm
Weight	10kg	6kg
Qty/pallet	30	20
Colour	Yellow	Yellow



SUPAGRIP RAMP



SAFEKERB RAMP



60MM TO 160MM KERB HEIGHT

