

EU Type Examination Certificate

Date: 2021/10/12

n. **860214101/TE**

Validity: 2026/10/11

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	U-GROUP SRL Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model:	"LEOPARD UK " code UM70354
Description:	<p><u>model</u>: C (half-knee boot); <u>fastening system</u>: by means of black laces, with zipper on the internal side of the bootleg covered by a flap with Velcro closure; <u>processing</u>: direct injection; <u>outsole</u>: black rubber 7466 OVER marked "ANTISLIP AREA OIL RESISTANT" with yellow insert marked VIBRAM (AI00152); <u>midsole</u>: black foam PU (CH 00117); <u>outer toetip reinforcement</u>: as the same material of the midsole; <u>upper</u>: black grain leather declared thickness 1,8/2,0 mm (PL00006) and black coated microfiber ANTIABRASION MICRO.LARICI declared thickness 2.0 mm S3 in the heel zone (SI00544), with insert in the heel made of retroreflective material LUXOR ARGENTO ECO (SI00245); <u>collar</u>: black synthetic material black coated SPICE (SI00002); <u>tongue</u>: black synthetic material black coated SPICE (SI00002) and upper part in black LYCRA (SI00065), lined and centrally padded; <u>vamp lining</u>: grey felt OMEGA ECO C02 (SI00120) coupled with white THINSULATE COMPRESS (SI00030); <u>quarter and tongue lining</u>: black three-dimensional fishnet knitting IMOLA (SI00028) coupled with white THINSULATE COMPRESS (SI00030); <u>insole</u>: white multi-layered fabric with blue print declared antistatic, art. 32-A36 IBISAFE ANTISTATIC (SP00021), which also serves as penetration resistant insert; <u>removable insock</u>: grey perforated foam material coupled with black knitting with "WOW" stamp in contact with the user, with zig-zag stitching with conductive thread in the forepart (TL 00161); <u>toecap</u>: polymeric material, art. PS240 HAWAI (PU 00042).</p> <p>Provided also with optional and interchangeable orthopaedic insocks SECOSOL®, see "Annex 827211301/E".</p>
Technical Standard:	<p>EN ISO 20344:2011 Personal protective equipment – Test methods for footwear (UNI EN ISO 20344:2012)</p> <p>EN ISO 20345:2011 Personal protective equipment – Safety footwear (UNI EN ISO 20345:2012)</p>
Intended use:	general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.



EU Type Examination Certificate

Date: 2021/10/12

n. **860214101/TE**

Validity: 2026/10/11

Size range:	from 35 to 48
Technical File:	DC-13710
Test report:	RCT n°4033110/E
Functions and performance levels:	<p>basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:</p> <p>SRC = Slip resistance – meets the following requirement:</p> <ul style="list-style-type: none"> - <u>surface</u>: ceramic / <u>lubricant</u>: detergent solution; - <u>surface</u>: steel / <u>lubricant</u>: glycerol. <p>Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):</p> <p>S3 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole; CI = cold insulation of the outsole; HRO = resistance to hot contact of the outsole.</p> <p>Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).</p>

Marking:	<p>on a stitched label and displaying the following information:</p> <ul style="list-style-type: none"> - CE Marking; - registered trademark, name and complete address of the Manufacturer; - designation of the footwear (= article name and alphanumeric code); - nr. and year of the Standard of reference + safety symbols; - size of the footwear (printed on the outsole); - production date (month + year); - additional information: website, category of the PPE, "Made in ...".
----------	--



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).