

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





EU Type Examination Certificate

Date: 2021/04/14 n. 860211502/TE Validity: 2026/04/13

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health <mark>req</mark>uirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: **U-GROUP SRL** (Responsible of the Via Borgomanero, 50 <u>- 28040</u> Paruzzaro (NO) <u>- Italia</u> PPE) Type of PPE: Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)

II: "medium" risks. Category of PPE:

This certificate is based on reference standards listed below: its validity is no longer

ensured should new version of the standards come into force.

Model: " NORDIC PLUS" code **SO40053**

Description: model: C (half-knee boot);

fastening system: absent, tubular model;

processing: direct injection;

outsole: black compact PU 7466 OVER marked "ANTISLIP AREA OIL RESISTANT"

(CH00116);

midsole: black foam PU (CH00117);

upper: dark brown leather PULL UP declared thickness 1,8/2,0 mm (PL00007);

vamp lining: grey felt OMEGA ECO C02 (\$100120);

quarter lining: beige three-dimensional fishnet knitting IMOLA (\$100166) coupled with

grey felt with perforated aluminum foil THINSULATE COMPRESS (SI00030);

collar lining: black coated fabric SINTETICO SPICE (S100002);

heel-grip: ice-white split suede leather (PL00031); insole: beige non-woven fabric DELTA BBD (SP00001);

penetration resistant insert: varnished steel, article 0785 SAFIT (LA00002);

removable insock; anthracite grey perforated foam material coupled with black knitting with "U-POWER ACTIONary" stamp in contact with the foot, with zig-zag stitching with

conductive thread in the forepart (TL00049);

toecap: polymeric material, article PS240 HAWAI (PU00042).

Optional interchangeable orthopedic insocks (DGUV 112-191) described by the Customer as follows (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie +

Sport GmbH (max thickness in the toetip area: 2,9 mm): SECOSOL® COMPLETE - article number 951622012451XX

SECOSOL® LAMINATO CON TESSUTO – article number 9516101XXX7XXX

EN ISO 20344:2011 Technical Standard: Personal protective equipment – Test methods for footwear

> (UNI EN ISO 20344:2012) EN ISO 20345:2011 Personal protective equipment – Safety footwear

(UNI EN ISO 20345:2012)

Intended use: general industry, engineering industry, construction industry, agriculture, warehouses,

works on trucks, cranes.



DBD No 0330 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/04/14 n. **860211502/TE** Validity: 2026/04/13

Size range: from 35 to 48

Technical File: DC-13247/E

Test report: RCT n°4030717/E

Functions and performance levels:

basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

SRC (*) = Slip resistance – meets the following requirement:

- <u>surface</u>: ceramic / <u>lubricant</u>: detergent solution;
- surface: steel / <u>lubricant</u>: glycerol.

(*) the final level of the anti-slip features is achieved after the first hours of trial stage.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

\$3 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole; **CI** = cold insulation of the outsole.

Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).

Marking:

on a stitched label and displaying the following information:

- CE Marking;
- registered trademark, name and complete address of the Manufacturer;
- designation of the footwear (= article name and alphanumeric code);
- nr. and year of the Standard of reference + safety symbols;
- size of the footwear (printed on the outsole);
- production date (month + year);
- additional information: website, category of the PPE, "Made in ...".





DDD Nº 0220 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/04/14 n. **860211502/TE** Validity: 2026/04/13



www.u-power.it

SO40053 UGROUP

02/2021 NORDIC PLUS

EN ISO 20345:2011 S3 CI SRC

MADE IN TUNISIA

UGROUP SRL Via Borgomanero,50 Paruzzaro (NO)-Italy

DPI II





SECOSOL® COMPLETE 951622012451XX



the entitled person (supervising body, Controlling Officer).

SECOSOL® LAMINATO CON TESSUTO 9516101XXX7XXX



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to