

# MONSTER™

START > TRAFFIC

## MOTION SAFETY

### UCTS003 SERIES WHEEL CHOCK

PRODUCT INFORMATION BROCHURE





PICTURED: UCTS003

Checkers' Monster Wheel Chocks comply with the safety requirements of a variety of industries and ensure a safe working environment while your vehicles are at rest. Offered in a variety of styles, our wheel chocks provide a safe chocking solution for any type of vehicle.

Monster Wheel Chocks were engineered in collaboration with safety experts to work with a wide range of ground equipment, commercial, and military vehicles. Whether you are chocking a fully-loaded 400-ton haul truck or a utility trailer, we have the wheel chocks you need to safely secure your vehicle and meet compliance standards.

- **We are one of the largest manufacturers of wheel chocks in the world**
- **We manufacture the most popular wheel chocks in the highly-demanding mining industry**
- **Checkers wheel chocks are manufactured at company headquarters in Broomfield, Colorado**
- **Polyurethane wheel chocks are resistant to extreme weather conditions, tears, abrasions, oils, and solvents**
- **Polyurethane chocks are extremely lightweight compared to excessive steel and aluminum counterparts**
- **Long-lasting product life span results in cost savings**
- **Checkers produces a wheel chock for virtually every type of tire-based vehicle**
- **Our wheel chocks are engineered to reduce damage to your vehicle's tires**
- **High visibility safety colors used on most of our wheel chocks**
- **Checkers wheel chocks satisfy MSHA, OSHA, SAE, NFPA, and DOT compliance standards**
- **Recessed carrying handles included on most models**
- **Mounting brackets available for most models**



## MONSTER GENERAL PURPOSE UC SERIES

**WHEEL CHOCKS** are manufactured with highly durable, lightweight polyurethane construction. These chocks are ideal for use with over-the-road trucks, trailers, pickups and utility vehicles.

**Material:** UV Stabilized Polyurethane

- Durable urethane construction
- Polyurethane increases strength over comparable rubber chocks
- Resist damage from UV, moisture, salt, and oils/chemicals
- Grooved, stepped edges help grip and provide more tire traction
- Eyebolt to use as a handle or connect with a rope
- This chock is rated for up to a 20,000 lb. load capacity (up to 11% grade)



MODEL: UCTS003

### APPLICATIONS

- Civil Engineering and Construction
- Mining
- Military Sites
- Infrastructure and Utilities Maintenance
- Transmission
- Heavy Industry

## SPECIFICATIONS

Model	Length	Width	Height	Weight
UCTS003	10 in. (25.4 cm)	8 in. (20.3 cm)	6 in. (15.2 cm)	2.86 lb. (1.3 kg)





## Start Traffic Ltd

Unit 30 North Bank  
Berry Hill Ind Est  
WR9 9AU

**PHONE: 01905 794 875**

**EMAIL:** [sales@starttraffic.uk](mailto:sales@starttraffic.uk)

[www.starttraffic.uk](http://www.starttraffic.uk)



A PRODUCT OF:



For more information visit: [www.checkers-safety.com](http://www.checkers-safety.com)

Checkers Safety Group is committed to providing revolutionary product designs and visionary safety solutions that protect people, assets, and the environment.

CHECKERS' FAMILY OF BRANDS:

